

PROJECT NAME:	Sample-2	JOB ID:	***
ADDRESS:	Sample-2	ARCHITECT	xxx
Customer	Not Known		
Bid Date	Not Known		
Architect	Not Known		
Drawing Set	S-0.1 TO S4.1, Date 07.02.2014		
Addendum	Nil		
Specification	Nil		
Revision No	Nil		
Rebar Grade	A615/60		
Coating	Black		
Welded Rebar	Nil		
ASSUMPTION	Stock Length Used 30'0" For Estimation		
	Mesh Lap Assume 20%		
	Curb Height Assumed 2'0" High		
NOTES	Sec 19/S-3.1 Topping Slab Details Unavailable		
	Lenton Form Sever Details Shown in Sec 7,8/S-3.1		
INCLUDE	Footing, Wall Footing, Grade Beam, Pile, Slab On Grade, Masonry Wall, Slab, Beam, Curb, House Keeping Pad, Column Concrete Wall		
EXCLUDE	Reinforcing For Precast Structure A706, Welded Reinforcement Site Work Smooth Dowel in Cj, Expansion Joint		
TOTAL WEIGHT (LBS)	244307		
TOTAL WEIGHT (TONNES)	122		

PROJECT NAME:		Sample-2		JOB ID:	***
ADDRESS:		Sample-2		ARCHITECT	xxx
S.NO	STRUCTURE	LEVEL	ELEMENT	WEIGHT (LBS)	REMARKS
1	Foundation	FDN	Footing	8442	
2			Wall Footing	14086	
3			Grade Beam	2506	
4			Pile	8622	
5			Slab On Grade	575	
6	Super Structure	Ground Floor	Housekeeping Pad	1085	
7			Masonry Wall	12120	
8			Column	27381	
9			Concrete Wall	8120	
10		Second Floor	Slab	34763	
11			Beam	27574	
12			Masonry Wall	16620	
13			Column	18615	
14			Housekeeping Pad	1492	
15			Curb	980	
16		Roof	Slab	18119	
17			Beam	27594	
18			Masonry Wall	1815	
19			Column	2943	
20		Air Foil Framing	Beam	4856	
21		High Roof Framing	Beam	2447	
22			Slab	3552	
				244307	

PROJECT NAME:		Sample-2							JOB ID: ***		
ADDRESS:		Sample-2					ARCHITECT		xxx		
S.NO	BAR SIZE	TOTAL TONNE	SHAPE WISE			GRADE WISE			COATING WISE		
			STRAIGHT	HEAVY	LIGHT	GR-40	GR-60	GR-75	BLACK	EPOXY	GAL
1	# 3	21017	3300	1447	16270		21017		21017		
	# 4	34761	21826	2673	10261		34761		34761		
	# 5	70818	54402	16417			70818		70818		
	# 6	26167	17542	8625			26167		26167		
	# 7	20718	2244	18474			20718		20718		
	# 8	29093	11893	17201			29093		29093		
	# 9	39873	19653	20220			39873		39873		
	# 10	1860	155	1705			1860		1860		
	# 11										
	# 14										
	# 18										
TOTAL		244307	244307			244307			244307		

TOTAL WELDED WIRE MESH INSTALLED

LEVEL	PLACE TO USE	SIZE OF THE MEZE	QTY	UNIT
Ground Floor	Slab on Grade	4X4-W4.0XW4.0	8500	Sq.ft

ACCESSORIES

PLACE TO USE	MATERIL	QTY	UNIT
Slab on Grade	3" High Bolster	1800	LFT
Masonry Wall	#5 Lenton Form Sever	790	Qty
	#4 Lenton Form Sever	340	Qty

PROJECT NAME: Sample-2										JOB ID:		***				
ADDRESS: Sample-2									ARCHITECT	xxx						
STRUCTURE	LEVEL	NOTES	MULTI	QTY	L1	L2	L3	L4	LAP	BAR SIZE	CLAS S	GRAD E	COAT	TOTAL LENGTH	TOTAL WEIGHT	
FOOTING	FDN	F25	2	6	2.5						4	S	60	BLACK	30	20
		F70 BOT	5	14	7						5	S	60	BLACK	490	511
		TOP	5	12	7						3	S	60	BLACK	420	158
		F80 BOT	4	16	8						6	S	60	BLACK	512	769
		TOP	4	12	8						3	S	60	BLACK	384	144
		F80 BOT	1	16	8.5						6	S	60	BLACK	136	204
		TOP	1	12	8.5						3	S	60	BLACK	102	38
		F85.110 LW	1	20	11						6	S	60	BLACK	220	330
		SW	1	22	8.5						6	S	60	BLACK	187	281
		F85.120 LW	1	28	12						5	S	60	BLACK	336	350
		SW	1	26	8.5						5	S	60	BLACK	221	231
		F85.130 LW	1	26	13						6	S	60	BLACK	338	508
		SW	1	24	8.5						6	S	60	BLACK	204	306
		F95.120 LW	1	26	12						6	S	60	BLACK	312	469
		SW	1	30	9.5						6	S	60	BLACK	285	428
		F100.140 LW	1	26	14						7	S	60	BLACK	364	744
		SW	1	34	10						6	S	60	BLACK	340	511
		F110 BOT	3	20	11						7	S	60	BLACK	660	1349
		TOP	3	20	11						5	S	60	BLACK	660	688
		ADDED									6	S	60	BLACK		402
WALL FTG	FDN	CF75 LW	4	16	29						6	S	60	BLACK	1856	2788
		SW	4	21	7.5						5	S	60	BLACK	630	657
		SW	4	30	7.5						6	S	60	BLACK	900	1352
		CF30 LW	1	2	67						5	S	60	BLACK	134	140
		SW	1	68	3						4	S	60	BLACK	204	136
		CF30A LW	1	3	41						6	S	60	BLACK	123	185
		LW	1	2	41						5	S	60	BLACK	82	86
		SW	1	42	3						4	S	60	BLACK	126	84
		CF60 LW	1	5	114				2.33		3	S	60	BLACK	614.27	231
		LW	1	6	114				4.66		6	S	60	BLACK	790.248	1187
		SW	1	39	6						3	S	60	BLACK	234	88
		SW	1	99	6						6	S	60	BLACK	594	892
		CF70 LW	1	14	71				8.75		9	S	60	BLACK	1283.9167	4365
		SW	1	25	7						3	S	60	BLACK	175	66
		SW	1	62	7						8	S	60	BLACK	434	1159
		ADDED									6	S	60	BLACK		671
GRADE BEAM	FDN	GB1-CONT	1	3	11	1	1				6	H	60	BLACK	39	59
			1	3	11	0.83	0.83				5	H	60	BLACK	37.98	40
			1	2	11						5	S	60	BLACK	22	23
			1	15	7.33						3	L	60	BLACK	109.95	41
		GB2	1	4	21	1	1				6	H	60	BLACK	92	138
			1	4	21	0.83	0.83				5	H	60	BLACK	90.64	95
			1	2	21						5	S	60	BLACK	42	44
			1	26	7.33						3	L	60	BLACK	190.58	72
		GB2-CONT	1	4	10	1.167	1.167				7	H	60	BLACK	49.336	101
			1	4	10	0.83	0.83				5	H	60	BLACK	46.64	49
			1	14	7.33						3	L	60	BLACK	102.62	39
		GB3-CONT	1	4	11	1.167	1.167				7	H	60	BLACK	53.336	109
			1	4	11	0.83	0.83				5	H	60	BLACK	50.64	53
			1	2	11						5	S	60	BLACK	22	23
			1	15	8						3	L	60	BLACK	120	45
		GB4-CONT	1	4	11	1	1				7	H	60	BLACK	52	106
			1	4	11	0.83	0.83				5	H	60	BLACK	50.64	53
			1	2	11						5	S	60	BLACK	22	23
			1	15	8						3	L	60	BLACK	120	45
		GB5	1	4	28	1	1				6	H	60	BLACK	120	180
			1	4	28	1	1				6	H	60	BLACK	120	180
			1	2	28						5	S	60	BLACK	56	58
			1	35	8						3	L	60	BLACK	280	105
		GB6	1	4	17	0.83	0.83				5	H	60	BLACK	74.64	78
			1	4	17	1	1				6	H	60	BLACK	76	114
			1	2	17						5	S	60	BLACK	34	35
			1	22	8						3	L	60	BLACK	176	66
	FDN	SEC 1/S3.1	1	2	70						3	S	60	BLACK	140	53
		SD	1	52	5						3	H	60	BLACK	260	98
		SEC 10/S3.2	1	42	6						5	H	60	BLACK	252	263
		ADDED									6	S	60	BLACK		119
PILE	FDN	SEC 4/S3.1	22	8	18	1.167					7	H	60	BLACK	3373.392	6895
		TIES	22	19	8.373						3	L	60	BLACK	3499.914	1316

PROJECT NAME:		Sample-2							JOB ID:		***			
ADDRESS:		Sample-2					ARCHITECT		xxx					
		ADDED						7	H	60	BLACK		411	
SLAB ON GRADE	FDN	SEC 19/S1.1	1	2	154			5	S	60	BLACK	308	321	
			1	59	3			4	S	60	BLACK	177	118	
		SEC 10/S3.1	1	21	4			4	S	60	BLACK	84	56	
		SEC 3/S3.1	1	42	5			3	H	60	BLACK	210	79	
MASONRY WALL	GROUND FLOOR	MWC - VER	4	76	4	2.5		5	S	60	BLACK	1976	2061	
		VER	1	76	2	2.5		5	S	60	BLACK	342	357	
		DOWEL	1	76	3	2.5		5	H	60	BLACK	418	436	
		MWA - VER	4	111	4	2.5		5	S	60	BLACK	2886	3010	
		VER	1	111	2	2.5		5	S	60	BLACK	499.5	521	
		DOWEL	1	111	3	2.5		5	H	60	BLACK	610.5	637	
		COL.DOWEL	1	16	6			5	H	60	BLACK	96	100	
		BEAM. DOWEL	1	111	5			5	H	60	BLACK	555	579	
		MWB - VER	4	38	4	2.5		5	S	60	BLACK	988	1030	
		VER	1	38	2	2.5		5	S	60	BLACK	171	178	
		DOWEL	1	38	3	2.5		5	H	60	BLACK	209	218	
		COL.DOWEL	1	12	6			4	H	60	BLACK	72	48	
		BEAM. DOWEL	1	38	5			5	H	60	BLACK	190	198	
		JAMP	4	80	4	2.5		5	S	60	BLACK	2080	2169	
		ADDED						3	H	60	BLACK		577	
HOUSEKEEPING P/	FDN	SEC 22/S1.1	4	18	8			3	S	60	BLACK	576	217	
			4	9	17			3	S	60	BLACK	612	230	
			4	55	2			3	H	60	BLACK	440	165	
		SEC 22/S1.1	4	8	3.5			3	S	60	BLACK	112	42	
			4	5	7			3	S	60	BLACK	140	53	
			4	21	2			3	H	60	BLACK	168	63	
		SEC 22/S1.1	5	4	11			3	S	60	BLACK	220	83	
			5	12	3			3	S	60	BLACK	180	68	
			5	30	2			3	H	60	BLACK	300	113	
		ADDED						3	H	60	BLACK		52	
COLUMN	GROUND FLOOR	1-9,11-13,1	32	4	18	5.83		9	S	60	BLACK	3050.24	10371	
			26	19	6.66			3	L	60	BLACK	3290.04	1237	
			6	37	6.66			3	L	60	BLACK	1478.52	556	
			32	4	3	5.83		9	H	60	BLACK	1130.24	3843	
		10,15,19,20	10	8	18	5.167		8	S	60	BLACK	1853.36	4948	
			5	19	6.66	4		3	L	60	BLACK	1012.7	381	
			5	37	6.66	4		3	L	60	BLACK	1972.1	742	
			10	8	3	5.167		8	H	60	BLACK	653.36	1744	
		14,25	2	8	18	5.83		9	S	60	BLACK	381.28	1296	
			2	19	6.66	4		3	L	60	BLACK	405.08	152	
			2	8	3	5.83		9	H	60	BLACK	141.28	480	
		TC1	2	6	18	2.066		4	S	60	BLACK	240.792	161	
			2	37	4.5			3	S	60	BLACK	333	125	
			2	6	3	2.066		4	H	60	BLACK	60.792	41	
		ADDED						9	S	60	BLACK		1304	
	2ND FLOOR	1-9,11-13,1	25	4	16	2		9	H	60	BLACK	1800	6120	
			7	4	16	5.33		9	S	60	BLACK	597.24	2031	
			16	17	6.66			3	L	60	BLACK	1811.52	681	
			16	33	6.66			3	L	60	BLACK	3516.48	1322	
		10,15,19,20	10	8	16	2		8	H	60	BLACK	1440	3845	
			3	8	16	5.167		8	S	60	BLACK	508.008	1356	
			5	17	6.66	4		3	L	60	BLACK	906.1	341	
			5	33	6.66	4		3	L	60	BLACK	1758.9	661	
		14,25	2	8	16	2		9	H	60	BLACK	288	979	
			2	17	6.66	4		3	L	60	BLACK	362.44	136	
		TC1	2	6	16	2		4	H	60	BLACK	216	144	
			2	33	4.5			3	S	60	BLACK	297	112	
		ADDED						8	H	60	BLACK		886	
	ROOF	37-41,43-44	7	4	13	2		9	H	60	BLACK	420	1428	
			7	14	6.66			3	L	60	BLACK	652.68	245	
		31,35,37	3	8	13	2		8	H	60	BLACK	360	961	
			3	14	6.66	4		3	L	60	BLACK	447.72	168	
		ADDED						9	H	60	BLACK		140	
BEAM	2ND FLOOR	2B1	1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	3	22.25	1.33	1.33	6.66	8	H	60	BLACK	74.73	200
			1	2	8				8	S	60	BLACK	16	43
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160

PROJECT NAME:		Sample-2							JOB ID:			***		
ADDRESS:		Sample-2							ARCHITECT			xxx		
		2B1A	1	2	18.25	1.167	1.167	5.83	7	H	60	BLACK	41.168	84
			1	2	18.25	1.33	1.33	6.66	8	H	60	BLACK	41.82	112
			1	2	18.25			3.33	5	S	60	BLACK	36.5	38
			1	20	10				4	L	60	BLACK	200	134
		2B2	1	2	25.66	1.583	1.583	7.583	9	H	60	BLACK	57.652	196
			1	2	25.66	1.167	1.167	5.83	7	H	60	BLACK	55.988	114
			1	2	8	1			6	H	60	BLACK	18	27
			1	1	8				7	S	60	BLACK	8	16
			1	2	25.66			3.33	5	S	60	BLACK	51.32	54
			1	27	10				4	L	60	BLACK	270	180
		2B3	1	2	22.25	1.33	1.33	6.66	8	H	60	BLACK	49.82	133
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B4	1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	8	1.167			7	H	60	BLACK	18.334	37
			1	2	8				7	S	60	BLACK	16	33
			1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B4A	1	3	18.25	1	1	4	6	H	60	BLACK	60.75	91
			1	2	18.25	1.167	1.167	5.83	7	H	60	BLACK	41.168	84
			1	2	6	1.167			7	H	60	BLACK	14.334	29
			1	2	18.25			3.33	5	S	60	BLACK	36.5	38
			1	20	10				4	L	60	BLACK	200	134
		2B5	1	3	22.25	1	1	4	6	H	60	BLACK	72.75	109
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	6	1.167			7	H	60	BLACK	14.334	29
			1	1	6				7	S	60	BLACK	6	12
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B6	1	3	22.25	1	1	4	6	H	60	BLACK	72.75	109
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	1	6				8	S	60	BLACK	6	16
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B7	1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	6				7	S	60	BLACK	12	25
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B8	1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	7	1.167			7	H	60	BLACK	16.334	33
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	28	10				4	L	60	BLACK	280	187
		2B9	1	2	22.25	1.33	1.33	6.66	8	H	60	BLACK	49.82	133
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	6	1			6	H	60	BLACK	14	21
			1	1	6				9	S	60	BLACK	6	20
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B10	1	2	22.25	1.33	1.33	6.66	8	H	60	BLACK	49.82	133
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	1	6				9	S	60	BLACK	6	20
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B11	1	3	22.25	1	1	4	6	H	60	BLACK	72.75	109
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	1	6				9	S	60	BLACK	6	20
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B12	1	2	22.25	1.33	1.33	6.66	8	H	60	BLACK	49.82	133
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	6	1			6	H	60	BLACK	14	21
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B13	1	2	22.25	1.33	1.33	6.66	8	H	60	BLACK	49.82	133
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	6	1.33			8	H	60	BLACK	14.66	39
			1	1	6				10	S	60	BLACK	6	26
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B14	1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100

PROJECT NAME:		Sample-2							JOB ID:		***			
ADDRESS:		Sample-2							ARCHITECT		xxx			
			1	1	6				9	S	60	BLACK	6	20
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B15	1	2	22.25	1.33	1.33	6.66	8	H	60	BLACK	49.82	133
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	1	6				9	S	60	BLACK	6	20
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	28	14				4	L	60	BLACK	392	262
		2B16	1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	2	6	1.33			8	H	60	BLACK	14.66	39
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	14				4	L	60	BLACK	336	224
		2B17	1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			2	2	6	1.167			7	H	60	BLACK	28.668	59
			1	1	6				9	S	60	BLACK	6	20
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	13				4	L	60	BLACK	312	208
		2B17A	1	3	22.25	1	1	4	6	H	60	BLACK	72.75	109
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	1	6				9	S	60	BLACK	6	20
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	13				4	L	60	BLACK	312	208
		2B18	1	3	22.25	1.167	1.167	5.83	7	H	60	BLACK	73.752	151
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	6				9	S	60	BLACK	12	41
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	13				4	L	60	BLACK	312	208
		2B19	1	4	22.25	1.167	1.167	5.83	7	H	60	BLACK	98.336	201
			1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			2	2	6	1.167			7	H	60	BLACK	28.668	59
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	31	13				4	L	60	BLACK	403	269
		2B20	1	2	22.5	1.167	1.167	5.83	7	H	60	BLACK	49.668	102
			1	2	22.5	1	1	4	6	H	60	BLACK	49	74
			1	2	6	1			6	H	60	BLACK	14	21
			1	1	6				6	S	60	BLACK	6	9
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		2B21	1	2	12.66	1.167	1.167	5.83	7	H	60	BLACK	29.988	61
			1	2	12.66	1	1	4	6	H	60	BLACK	29.32	44
			1	2	12.66			3.33	5	S	60	BLACK	25.32	26
			1	14	10				4	L	60	BLACK	140	94
		2B22	1	2	16.66	1.167	1.167	5.83	7	H	60	BLACK	37.988	78
			1	2	16.66	1	1	4	6	H	60	BLACK	37.32	56
			1	2	16.66			3.33	5	S	60	BLACK	33.32	35
			1	18	10				4	L	60	BLACK	180	120
		2B23	1	2	16.66	1.167	1.167	5.83	7	H	60	BLACK	37.988	78
			1	2	16.66	1	1	4	6	H	60	BLACK	37.32	56
			1	2	16.66			3.33	5	S	60	BLACK	33.32	35
			1	18	10				4	L	60	BLACK	180	120
		2B24	1	2	20.5	1.167	1.167	5.83	7	H	60	BLACK	45.668	93
			1	4	20.5	1.583	1.583	7.583	9	H	60	BLACK	94.664	322
			1	2	20.5			3.33	5	S	60	BLACK	41	43
			1	22	10				4	L	60	BLACK	220	147
		2B24CONT	1	2	10	1.167	1.167	5.83	7	H	60	BLACK	24.668	50
			1	4	10	1.583	1.583	7.583	9	H	60	BLACK	52.664	179
			1	2	10			3.33	5	S	60	BLACK	20	21
			1	11	10				4	L	60	BLACK	110	73
		2B25	1	4	20.5	1.33	1.33	6.66	8	H	60	BLACK	92.64	247
			1	5	20.5	1.83	1.83	8.5	10	H	60	BLACK	120.8	520
			1	2	20.5			3.33	5	S	60	BLACK	41	43
			1	19	16.5				4	L	60	BLACK	313.5	209
		2B25CONT	1	4	10	1.33	1.33	6.66	8	H	60	BLACK	50.64	135
			1	5	10	1.83	1.83	8.5	10	H	60	BLACK	68.3	294
			1	2	10			3.33	5	S	60	BLACK	20	21
			1	10	16.5				4	L	60	BLACK	165	110
		2B26	1	3	15	1.167	1.167	5.83	7	H	60	BLACK	52.002	106
			1	3	15	1.167	1.167	5.83	7	H	60	BLACK	52.002	106
			1	2	15			3.33	5	S	60	BLACK	30	31
			1	16	13				3	L	60	BLACK	208	78
		2B26A	1	3	10	1.167	1.167	5.83	7	H	60	BLACK	37.002	76
			1	3	10	1.167	1.167	5.83	7	H	60	BLACK	37.002	76
			1	2	10			3.33	5	S	60	BLACK	20	21

PROJECT NAME:	Sample-2										JOB ID:	***				
ADDRESS:	Sample-2										ARCHITECT	xxx				
			1	11	13						3	L	60	BLACK	143	54
		2B27	1	3	20.5	1.33	1.33		6.66		8	H	60	BLACK	69.48	186
			1	2	20.5	1.583	1.583		7.583		9	H	60	BLACK	47.332	161
			1	2	20.5				3.33		5	S	60	BLACK	41	43
			1	22	16						3	L	60	BLACK	352	132
		2B28	1	3	16.66	1.33	1.33		6.66		8	H	60	BLACK	57.96	155
			1	2	16.66	1.583	1.583		7.583		9	H	60	BLACK	39.652	135
			1	2	16.66				3.33		5	S	60	BLACK	33.32	35
			1	18	16						3	L	60	BLACK	288	108
		2B29	1	3	16.66	1.33	1.33		6.66		8	H	60	BLACK	57.96	155
			1	2	16.66	1.583	1.583		7.583		9	H	60	BLACK	39.652	135
			1	2	16.66				3.33		5	S	60	BLACK	33.32	35
			1	18	16						3	L	60	BLACK	288	108
		2B30	1	3	20.5	1.33	1.33		6.66		8	H	60	BLACK	69.48	186
			1	3	20.5	1.583	1.583		7.583		9	H	60	BLACK	70.998	241
			1	2	20.5				3.33		5	S	60	BLACK	41	43
			1	22	16						3	L	60	BLACK	352	132
		2B30CONT	1	3	10	1.33	1.33		6.66		8	H	60	BLACK	37.98	101
			1	3	10	1.583	1.583		7.583		9	H	60	BLACK	39.498	134
			1	2	10				3.33		5	S	60	BLACK	20	21
			1	11	16						3	L	60	BLACK	176	66
		2B31	1	3	20.5	1.33	1.33		6.66		8	H	60	BLACK	69.48	186
			1	3	20.5	1.583	1.583		7.583		9	H	60	BLACK	70.998	241
			1	2	20.5				3.33		5	S	60	BLACK	41	43
			1	22	16						3	L	60	BLACK	352	132
		2B31CONT	1	3	10	1.33	1.33		6.66		8	H	60	BLACK	37.98	101
			1	3	10	1.583	1.583		7.583		9	H	60	BLACK	39.498	134
			1	2	10				3.33		5	S	60	BLACK	20	21
			1	11	16						3	L	60	BLACK	176	66
		2B32	1	3	20.5	1.33	1.33		6.66		8	H	60	BLACK	69.48	186
			1	3	20.5	1.583	1.583		7.583		9	H	60	BLACK	70.998	241
			1	2	20.5				3.33		5	S	60	BLACK	41	43
			1	22	16						3	L	60	BLACK	352	132
		2B32CONT	1	3	10	1.33	1.33		6.66		8	H	60	BLACK	37.98	101
			1	3	10	1.583	1.583		7.583		9	H	60	BLACK	39.498	134
			1	2	10				3.33		5	S	60	BLACK	20	21
			1	11	16						3	L	60	BLACK	176	66
		2B33	1	2	10	1.167	1.167		5.83		7	H	60	BLACK	24.668	50
			1	2	10	1	1		4		6	H	60	BLACK	24	36
			1	2	10				3.33		5	S	60	BLACK	20	21
			1	11	8						3	L	60	BLACK	88	33
		2B34	1	2	20.5	0.83	0.83		3.33		5	H	60	BLACK	44.32	46
			1	2	20.5	1	1		4		6	H	60	BLACK	45	68
			1	2	20.5				3.33		5	S	60	BLACK	41	43
			1	19	10						3	L	60	BLACK	190	71
		2B35	1	3	22.5	1.33	1.33		6.66		8	H	60	BLACK	75.48	202
			1	2	22.5	1	1		4		6	H	60	BLACK	49	74
			2	2	6	1			4		6	H	60	BLACK	28	42
			1	2	22.5				3.33		5	S	60	BLACK	45	47
			1	31	15						3	L	60	BLACK	465	175
		2B36	1	3	22.5	1.33	1.33		6.66		8	H	60	BLACK	75.48	202
			1	2	22.5	1	1		4		6	H	60	BLACK	49	74
			1	2	22.5				3.33		5	S	60	BLACK	45	47
			1	31	15						3	L	60	BLACK	465	175
		2B37	1	3	22.5	1.33	1.33		6.66		8	H	60	BLACK	75.48	202
			1	6	22.5	0.83	0.83		3.33		5	H	60	BLACK	144.96	151
			1	2	22.5				3.33		5	S	60	BLACK	45	47
			1	31	15						3	L	60	BLACK	465	175
		2B38	1	2	22.5	1.167	1.167		5.83		7	H	60	BLACK	49.668	102
			1	2	22.5	1.167	1.167		5.83		7	H	60	BLACK	49.668	102
			1	2	22.5				3.33		5	S	60	BLACK	45	47
			1	24	15						3	L	60	BLACK	360	135
		2B39	1	2	22.5	1.583	1.583		7.583		9	H	60	BLACK	51.332	175
			1	2	22.5	0.83	0.83		5.83		5	H	60	BLACK	48.32	50
			1	2	22.5				3.33		5	S	60	BLACK	45	47
			1	24	15						3	L	60	BLACK	360	135
		2B40	1	2	22.5	1.583	1.583		7.583		9	H	60	BLACK	51.332	175
			1	2	22.5	0.83	0.83		3.33		5	H	60	BLACK	48.32	50
			1	2	22.5				3.33		5	S	60	BLACK	45	47
			1	24	15						3	L	60	BLACK	360	135
		2B41	1	2	22.25	0.83	0.83		3.33		5	H	60	BLACK	47.82	50
			1	2	22.25	1.83	1.83		8.5		10	H	60	BLACK	51.82	223
			1	2	22.25				3.33		5	S	60	BLACK	44.5	46
			1	24	10						4	L	60	BLACK	240	160
		2B42	1	3	20.5	0.83	0.83		3.33		5	H	60	BLACK	66.48	69

PROJECT NAME:		Sample-2							JOB ID:			***		
ADDRESS:		Sample-2							ARCHITECT			xxx		
			1	3	20.5	1.167	1.167	5.83	7	H	60	BLACK	68.502	140
			1	2	20.5			3.33	5	S	60	BLACK	41	43
			1	22	15				4	L	60	BLACK	330	220
		2B43	1	3	16.66	1	1	4	6	H	60	BLACK	55.98	84
			1	2	16.66	1	1	4	6	H	60	BLACK	37.32	56
			1	2	16.66			3.33	5	S	60	BLACK	33.32	35
			1	18	15				4	L	60	BLACK	270	180
		2B44	1	3	16.66	1	1	4	6	H	60	BLACK	55.98	84
			1	2	16.66	1	1	4	6	H	60	BLACK	37.32	56
			1	2	6	1			5	H	60	BLACK	14	15
			1	2	16.66			3.33	5	S	60	BLACK	33.32	35
			1	18	15				4	L	60	BLACK	270	180
		2B45	1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11			3.33	5	S	60	BLACK	22	23
			1	16	10				3	L	60	BLACK	160	60
		2B46	1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11			3.33	5	S	60	BLACK	22	23
			1	16	10				3	L	60	BLACK	160	60
		2B47	1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11			3.33	5	S	60	BLACK	22	23
			1	16	10				3	L	60	BLACK	160	60
		2B48	1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11	0.83	0.83	3.33	5	H	60	BLACK	25.32	26
			1	2	11			3.33	5	S	60	BLACK	22	23
			1	16	10				3	L	60	BLACK	160	60
		SEC 12/S3.1	1	2	22	1	1	4	6	H	60	BLACK	48	72
			1	2	22	1	1	4	6	H	60	BLACK	48	72
			1	2	22			3.33	5	S	60	BLACK	44	46
			1	22	10				3	L	60	BLACK	220	83
		SEC S13/3.1	1	8	25	1	1		6	H	60	BLACK	216	324
			2	26	5				5	S	60	BLACK	260	271
			2	6	25				5	S	60	BLACK	300	313
			2	26	4				5	S	60	BLACK	208	217
		ADDED							5	S	60	BLACK		1313
BEAM	ROOF	RB1	1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	22.25	0.83	0.83	3.33	5	H	60	BLACK	47.82	50
			1	2	6	1			6	H	60	BLACK	14	21
			1	1	6				7	S	60	BLACK	6	12
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				3	L	60	BLACK	240	90
		RB1A	1	2	1.58	1.167	1.167	5.83	7	H	60	BLACK	7.828	16
			1	2	18.58	0.83	0.83	3.33	5	H	60	BLACK	40.48	42
			1	2	6	1			6	H	60	BLACK	14	21
			1	2	18.58			3.33	5	S	60	BLACK	37.16	39
			1	20	10				3	L	60	BLACK	200	75
		RB2	1	3	26.75	1.167	1.167	5.83	7	H	60	BLACK	87.252	178
			1	2	26.75	1	1	4	6	H	60	BLACK	57.5	86
			1	1	6				8	S	60	BLACK	6	16
			1	2	26.75			3.33	5	S	60	BLACK	53.5	56
			1	28	10				4	L	60	BLACK	280	187
		RB3	1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	22.25	1	1	4	6	H	60	BLACK	48.5	73
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		RB4	1	2	22.25	1.167	1.167	5.83	7	H	60	BLACK	49.168	100
			1	2	22.25	0.83	0.83	3.33	5	H	60	BLACK	47.82	50
			1	2	6	1.167			7	H	60	BLACK	14.334	29
			1	1	6				7	S	60	BLACK	6	12
			1	2	22.25			3.33	5	S	60	BLACK	44.5	46
			1	24	10				4	L	60	BLACK	240	160
		RB4A	1	2	19	1.167	1.167	5.83	7	H	60	BLACK	42.668	87
			1	2	19	0.83	0.83	3.33	5	H	60	BLACK	41.32	43
			1	2	19			3.33	5	S	60	BLACK	38	40
			1	20	10				4	L	60	BLACK	200	134
		RB4B	1	2	13	1.167	1.167	5.83	7	H	60	BLACK	30.668	63
			1	2	13	1.167	1.167	5.83	7	H	60	BLACK	30.668	63
			1	2	13			3.33	5	S	60	BLACK	26	27
			1	13	15				4	L	60	BLACK	195	130
		RB5	1	4	42.5	1.33	1.33	6.66	8	H	60	BLACK	220.74208	589
			1	3	42.5	1.33	1.33	6.66	8	H	60	BLACK	165.55656	442
			1	3	10				9	S	60	BLACK	30	102

PROJECT NAME: Sample-2		JOB ID: ***												
ADDRESS: Sample-2	ARCHITECT		xxx											
		1	2	42.5				3.33	5	S	60	BLACK	94.435	98
		1	44	13					4	L	60	BLACK	572	382
	RB6	1	4	28	1.33	1.33		6.66	8	H	60	BLACK	149.86608	400
		1	3	28	1.33	1.33		6.66	8	H	60	BLACK	112.39956	300
		1	2	28				3.33	5	S	60	BLACK	56	58
		1	29	13					4	L	60	BLACK	377	252
	RB7	1	4	42.5	1.583	1.583		7.58	9	H	60	BLACK	228.8171	778
		1	3	42.5	1.167	1.167		5.83	7	H	60	BLACK	160.64022	328
		1	2	10	1.167				7	H	60	BLACK	22.334	46
		1	3	10					10	S	60	BLACK	30	129
		1	2	42.5				3.33	5	S	60	BLACK	94.435	98
		1	53	15					4	L	60	BLACK	795	531
	RB8	1	4	28	1.583	1.583		7.58	9	H	60	BLACK	156.16244	531
		1	3	28	1.167	1.167		5.83	7	H	60	BLACK	108.68672	222
		1	2	8	1.167				7	H	60	BLACK	18.334	37
		1	2	28				3.33	5	S	60	BLACK	56	58
		1	29	13					4	L	60	BLACK	377	252
	RB9	1	4	42.5	1.583	1.583		7.58	9	H	60	BLACK	228.8171	778
		1	3	42.5	1.33	1.33		6.66	8	H	60	BLACK	165.55656	442
		1	2	10					8	S	60	BLACK	20	53
		1	2	42.5				3.33	5	S	60	BLACK	94.435	98
		1	44	14					4	L	60	BLACK	616	411
	RB10	1	4	28	1.583	1.583		7.58	9	H	60	BLACK	156.16244	531
		1	3	28	1.33	1.33		6.66	8	H	60	BLACK	112.39956	300
		1	1	8					5	S	60	BLACK	8	8
		1	2	28				3.33	5	S	60	BLACK	56	58
		1	39	15					3	L	60	BLACK	585	220
	RB11	1	3	42.5	1.167	1.167		5.83	7	H	60	BLACK	160.64022	328
		1	4	42.5	1.33	1.33		6.66	8	H	60	BLACK	220.74208	589
		1	2	10					7	S	60	BLACK	20	41
		1	2	42.5				3.33	5	S	60	BLACK	94.435	98
		1	44	14					4	L	60	BLACK	616	411
	RB12	1	4	42.5	1.167	1.167		5.83	7	H	60	BLACK	214.18696	438
		1	4	42.5	1.167	1.167		5.83	7	H	60	BLACK	214.18696	438
		1	2	10	1.167				7	H	60	BLACK	22.334	46
		1	1	10					8	S	60	BLACK	10	27
		1	2	42.5				3.33	5	S	60	BLACK	94.435	98
		1	44	14					4	L	60	BLACK	616	411
	RB13	1	2	16.5	1	1		4	6	H	60	BLACK	37	56
		1	2	16.5	1	1		4	6	H	60	BLACK	37	56
		1	1	6					6	S	60	BLACK	6	9
		1	2	16.5				3.33	5	S	60	BLACK	33	34
		1	18	10					4	L	60	BLACK	180	120
	RB14	1	2	28	1.167	1.167		5.83	7	H	60	BLACK	72.457815	148
		1	2	28	1	1		4	6	H	60	BLACK	60	90
		1	2	6	1				6	H	60	BLACK	14	21
		1	2	28				3.33	5	S	60	BLACK	56	58
		1	29	10					4	L	60	BLACK	290	194
	RB15	1	5	42.5	1.583	1.583		7.583	9	H	60	BLACK	286.04421	973
		1	4	42.5	0.83	0.83		3.33	5	H	60	BLACK	196.24704	205
		1	1	6					6	S	60	BLACK	6	9
		1	2	42.5				3.33	5	S	60	BLACK	94.435	98
		1	38	15					3	L	60	BLACK	570	214
	RB16	1	2	15	1.167	1.167			7	H	60	BLACK	34.668	71
		1	2	15	1	1			6	H	60	BLACK	34	51
		1	1	6					6	S	60	BLACK	6	9
		1	2	15					5	S	60	BLACK	30	31
		1	14	10					3	L	60	BLACK	140	53
	RB16A	1	2	28.5	1.167	1.167			7	H	60	BLACK	61.668	126
		1	2	28.5	0.83	0.83			5	H	60	BLACK	60.32	63
		1	2	28.5					5	S	60	BLACK	57	59
		1	26	10					3	L	60	BLACK	260	98
	RB17	1	2	22.5	1.167	1.167			7	H	60	BLACK	49.668	102
		1	2	22.5	0.83	0.83			5	H	60	BLACK	48.32	50
		1	2	22.5					5	S	60	BLACK	45	47
		1	21	10					3	L	60	BLACK	210	79
	RB18	1	2	27.66	1.167	1.167			7	H	60	BLACK	59.988	123
		1	2	27.66	0.83	0.83			5	H	60	BLACK	58.64	61
		1	2	27.66					5	S	60	BLACK	55.32	58
		1	25	10					3	L	60	BLACK	250	94
	RB19	1	2	16.66	1.167	1.167			7	H	60	BLACK	37.988	78
		1	2	16.66	0.83	0.83			5	H	60	BLACK	36.64	38
		1	2	16.66					5	S	60	BLACK	33.32	35
		1	16	10					3	L	60	BLACK	160	60
	RB20	1	4	20.5	1.167	1.167			7	H	60	BLACK	91.336	187

PROJECT NAME: Sample-2		JOB ID:		***										
ADDRESS: Sample-2		ARCHITECT		xxx										
		1	4	20.5	1.583	1.583			9	H	60	BLACK	94.664	322
		1	2	20.5					5	S	60	BLACK	41	43
		1	22	15					4	L	60	BLACK	330	220
	RB20CONT	1	4	11	1.167	1.167			7	H	60	BLACK	53.336	109
		1	4	11	1.583	1.583			9	H	60	BLACK	56.664	193
		1	2	11					5	S	60	BLACK	22	23
		1	12	15					4	L	60	BLACK	180	120
	RB22	1	2	20.75	1.167	1.167			7	H	60	BLACK	46.168	94
		1	2	20.75	0.83	0.83			5	H	60	BLACK	44.82	47
		1	2	20.75					5	S	60	BLACK	41.5	43
		1	19	10					3	L	60	BLACK	190	71
	RB23	1	2	16.75	1.167	1.167			7	H	60	BLACK	38.168	78
		1	2	16.75	0.83	0.83			5	H	60	BLACK	36.82	38
		1	2	16.75					5	S	60	BLACK	33.5	35
		1	18	10					3	L	60	BLACK	180	68
	RB24	1	2	16.75	1.167	1.167			7	H	60	BLACK	38.168	78
		1	2	16.75	0.83	0.83			5	H	60	BLACK	36.82	38
		1	2	16.75					5	S	60	BLACK	33.5	35
		1	18	10					3	L	60	BLACK	180	68
	RB25	1	3	20	1.167	1.167			7	H	60	BLACK	67.002	137
		1	4	20	1.167	1.167			7	H	60	BLACK	89.336	183
		1	2	20					5	S	60	BLACK	40	42
		1	21	14					4	L	60	BLACK	294	196
	RB25CONT	1	3	11	1.167	1.167			7	H	60	BLACK	40.002	82
		1	4	11	1.167	1.167			7	H	60	BLACK	53.336	109
		1	2	11					5	S	60	BLACK	22	23
		1	12	14					4	L	60	BLACK	168	112
	RB26	1	2	22.5	1.167	1.167			7	H	60	BLACK	49.668	102
		1	2	22.5	1	1			6	H	60	BLACK	49	74
		1	1	8					5	S	60	BLACK	8	8
		1	2	22.5					5	S	60	BLACK	45	47
		1	24	10					4	L	60	BLACK	240	160
	RB27	1	2	16.66	1	1			6	H	60	BLACK	37.32	56
		1	2	16.66	1	1			6	H	60	BLACK	37.32	56
		1	2	16.66					5	S	60	BLACK	33.32	35
		1	16	10					3	L	60	BLACK	160	60
	RB27A	1	2	13	1	1			6	H	60	BLACK	30	45
		1	2	13	1	1			6	H	60	BLACK	30	45
		1	2	13					5	S	60	BLACK	26	27
		1	13	10					3	L	60	BLACK	130	49
	RB28	1	2	16.66	1	1			6	H	60	BLACK	37.32	56
		1	2	16.66	1	1			6	H	60	BLACK	37.32	56
		1	2	16.66					5	S	60	BLACK	33.32	35
		1	16	10					3	L	60	BLACK	160	60
	RB29	1	2	11.5	1	1			6	H	60	BLACK	27	41
		1	2	11.5	1	1			6	H	60	BLACK	27	41
		1	2	11.5					5	S	60	BLACK	23	24
		1	11	10					3	L	60	BLACK	110	41
	RB30	1	4	20.5	1.33	1.33			8	H	60	BLACK	92.64	247
		1	4	20.5	1.83	1.83			10	H	60	BLACK	96.64	416
		1	2	20.5					5	S	60	BLACK	41	43
		1	29	15					3	L	60	BLACK	435	164
	RB30CONT	1	4	11	1.33	1.33			8	H	60	BLACK	54.64	146
		1	4	11	1.83	1.83			10	H	60	BLACK	58.64	252
		1	2	11					5	S	60	BLACK	22	23
		1	16	15					3	L	60	BLACK	240	90
	RB31	1	2	16.66	1	1			6	H	60	BLACK	37.32	56
		1	2	16.66	0.83	0.83			5	H	60	BLACK	36.64	38
		1	2	16.66					5	S	60	BLACK	33.32	35
		1	16	10					3	L	60	BLACK	160	60
	RB32	1	2	16.66	1	1			6	H	60	BLACK	37.32	56
		1	2	16.66	0.83	0.83			5	H	60	BLACK	36.64	38
		1	2	16.66					5	S	60	BLACK	33.32	35
		1	16	10					3	L	60	BLACK	160	60
	RB33	1	2	12	1	1			6	H	60	BLACK	28	42
		1	2	12	0.83	0.83			5	H	60	BLACK	27.32	28
		1	2	12					5	S	60	BLACK	24	25
		1	12	10					3	L	60	BLACK	120	45
	RB34	1	4	12	1.167	1.167			7	H	60	BLACK	57.336	117
		1	4	12	0.83	0.83			5	H	60	BLACK	54.64	57
		1	2	12					5	S	60	BLACK	24	25
		1	13	14					3	L	60	BLACK	182	68
	RB35	1	2	20.75	1.167	1.167			7	H	60	BLACK	46.168	94
		1	2	20.75	1	1			6	H	60	BLACK	45.5	68
		1	2	20.75					5	S	60	BLACK	41.5	43

PROJECT NAME:		Sample-2						JOB ID:		***				
ADDRESS:		Sample-2						ARCHITECT		xxx				
			1	19	14				3	L	60	BLACK	266	100
		RB36	1	2	16.75	1.167	1.167		7	H	60	BLACK	38.168	78
			1	2	16.75		1		6	H	60	BLACK	37.5	56
			1	2	16.75				5	S	60	BLACK	33.5	35
			1	16	14				3	L	60	BLACK	224	84
		RB37	1	2	16.75	1.167	1.167		7	H	60	BLACK	38.168	78
			1	2	16.75		1		6	H	60	BLACK	37.5	56
			1	2	16.75				5	S	60	BLACK	33.5	35
			1	16	14				3	L	60	BLACK	224	84
		RB38	1	2	20	1.167	1.167		7	H	60	BLACK	44.668	91
			1	2	20		1		6	H	60	BLACK	44	66
			1	2	20				5	S	60	BLACK	40	42
			1	19	14				3	L	60	BLACK	266	100
		RB39	1	4	21	1.583	1.583		9	H	60	BLACK	96.664	329
			1	4	21		1		6	H	60	BLACK	92	138
			1	2	21				5	S	60	BLACK	42	44
			1	19	14				3	L	60	BLACK	266	100
		RB39A	1	4	11	1.583	1.583		9	H	60	BLACK	56.664	193
			1	4	11		1		6	H	60	BLACK	52	78
			1	2	11				5	S	60	BLACK	22	23
			1	11	14				3	L	60	BLACK	154	58
		RB40	1	2	21		1		6	H	60	BLACK	46	69
			1	2	21		1		6	H	60	BLACK	46	69
			1	2	21				5	S	60	BLACK	42	44
			1	19	14				3	L	60	BLACK	266	100
		RB41	1	2	21	1.167	1.167		7	H	60	BLACK	46.668	95
			1	2	21		1		6	H	60	BLACK	46	69
			1	2	21				5	S	60	BLACK	42	44
			1	19	14				3	L	60	BLACK	266	100
		ADDED							6	H	60	BLACK		1314
BEAM	AIR FOIL LOWER	AFRB1	1	4	20	1.167	1.167		7	H	60	BLACK	89.336	183
			1	4	20		1		6	H	60	BLACK	88	132
			1	2	20				5	S	60	BLACK	40	42
			1	21	14				3	L	60	BLACK	294	111
		AFRB2	1	4	20	1.167	1.167		7	H	60	BLACK	89.336	183
			1	4	20		1		6	H	60	BLACK	88	132
			1	2	20				5	S	60	BLACK	40	42
			1	21	14				3	L	60	BLACK	294	111
		AFRB3	1	4	20	1.167	1.167		7	H	60	BLACK	89.336	183
			1	4	20		1		6	H	60	BLACK	88	132
			1	2	20				5	S	60	BLACK	40	42
			1	21	14				3	L	60	BLACK	294	111
		AFRB4	1	4	20	1.167	1.167		7	H	60	BLACK	89.336	183
			1	4	20		1		6	H	60	BLACK	88	132
			1	2	20				5	S	60	BLACK	40	42
			1	21	14				3	L	60	BLACK	294	111
		AFRB5	1	2	16.5		1		6	H	60	BLACK	37	56
			1	2	16.5		1		6	H	60	BLACK	37	56
			1	34	10				3	L	60	BLACK	340	128
		AFRB6	1	2	16.5		1		6	H	60	BLACK	37	56
			1	2	16.5		1		6	H	60	BLACK	37	56
			1	34	10				3	L	60	BLACK	340	128
		AFRB7	1	2	12.5		1		6	H	60	BLACK	29	44
			1	2	12.5		1		6	H	60	BLACK	29	44
			1	26	10				3	L	60	BLACK	260	98
		AFRB8	1	2	16.5		1		6	H	60	BLACK	37	56
			1	2	16.5	0.83	0.83		5	H	60	BLACK	36.32	38
			1	34	10				3	L	60	BLACK	340	128
		AFRB9	1	2	16.5		1		6	H	60	BLACK	37	56
			1	2	16.5	0.83	0.83		5	H	60	BLACK	36.32	38
			1	34	10				3	L	60	BLACK	340	128
		AFRB10	1	2	12.5		1		6	H	60	BLACK	29	44
			1	2	12.5	0.83	0.83		5	H	60	BLACK	28.32	30
			1	26	10				3	L	60	BLACK	260	98
		AFRB11	1	2	16.5		1		6	H	60	BLACK	37	56
			1	2	16.5	0.83	0.83		5	H	60	BLACK	36.32	38
			1	34	9				3	L	60	BLACK	306	115
		AFRB12	1	2	16.5		1		6	H	60	BLACK	37	56
			1	2	16.5	0.83	0.83		5	H	60	BLACK	36.32	38
			1	34	9				3	L	60	BLACK	306	115
		AFRB13	1	2	12.5		1		6	H	60	BLACK	29	44
			1	2	12.5	0.83	0.83		5	H	60	BLACK	28.32	30
			1	14	9				3	L	60	BLACK	126	47
		AFRB14	1	4	20		1		6	H	60	BLACK	88	132

PROJECT NAME:		Sample-2						JOB ID:		***				
ADDRESS:		Sample-2						ARCHITECT		xxx				
			1	4	20	0.83	0.83		7	H	60	BLACK	86.64	177
			1	2	20				5	S	60	BLACK	40	42
			1	21	12				3	L	60	BLACK	252	95
		AFRB15	1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	26	9				3	L	60	BLACK	234	88
		AFRB16	1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	2	12.5	0.83	0.83		5	H	60	BLACK	28.32	30
			1	26	9				3	L	60	BLACK	234	88
		AFRB16	1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	2	12.5	0.83	0.83		5	H	60	BLACK	28.32	30
			1	26	9				3	L	60	BLACK	234	88
		ADDED							6	H	60	BLACK		231
BEAM	HIGH ROOF FRAM	HRB1	1	2	16.5	1	1		6	H	60	BLACK	37	56
			1	4	16.5	0.83	0.83		5	H	60	BLACK	72.64	76
			1	34	9				3	L	60	BLACK	306	115
		HRB2	1	2	16.5	1	1		6	H	60	BLACK	37	56
			1	4	16.5	0.83	0.83		5	H	60	BLACK	72.64	76
			1	34	9				3	L	60	BLACK	306	115
		HRB3	1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	4	12.5	0.83	0.83		5	H	60	BLACK	56.64	59
			1	26	9				3	L	60	BLACK	234	88
		HRB4	1	2	16.5	1	1		6	H	60	BLACK	37	56
			1	4	16.5	0.83	0.83		5	H	60	BLACK	72.64	76
			1	34	9				3	L	60	BLACK	306	115
		HRB5	1	2	16.5	1	1		6	H	60	BLACK	37	56
			1	4	16.5	0.83	0.83		5	H	60	BLACK	72.64	76
			1	34	9				3	L	60	BLACK	306	115
		HRB6	1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	4	12.5	0.83	0.83		5	H	60	BLACK	56.64	59
			1	26	9				3	L	60	BLACK	234	88
		HRB7	1	2	19.5	1	1		6	H	60	BLACK	43	65
			1	4	19.5	0.83	0.83		5	H	60	BLACK	84.64	88
			1	40	9				3	L	60	BLACK	360	135
		HRB8	1	2	19.5	1	1		6	H	60	BLACK	43	65
			1	4	19.5	0.83	0.83		5	H	60	BLACK	84.64	88
			1	40	9				3	L	60	BLACK	360	135
		HRB9	1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	4	12.5	0.83	0.83		5	H	60	BLACK	56.64	59
			1	26	9				3	L	60	BLACK	234	88
		HRB10	1	2	12.5	1	1		6	H	60	BLACK	29	44
			1	4	12.5	0.83	0.83		5	H	60	BLACK	56.64	59
			1	26	9				3	L	60	BLACK	234	88
		ADDED							6	H	60	BLACK		116
MASONRY WALL	SECOND FLOOR	MWC - VER	4	62	4	2.5			5	S	60	BLACK	1612	1681
		MWA - VER	4	146	4	2.5			5	S	60	BLACK	3796	3959
		COL. DOWEL	1	16	6				5	H	60	BLACK	96	100
		BEAM. DOWEL	1	146	5				5	H	60	BLACK	730	761
		MWB - VER	4	192	4	2.5			5	S	60	BLACK	4992	5207
		VER	1	192	2	2.5			5	S	60	BLACK	864	901
		COL. DOWEL	1	12	6				4	H	60	BLACK	72	48
		BEAM. DOWEL	1	192	5				5	H	60	BLACK	960	1001
		JAMP	4	80	4	2.5			5	S	60	BLACK	2080	2169
		ADDED							5	S	60	BLACK		791
MASONRY WALL	ROOF	MWC - VER	3	45	4	2.5			5	S	60	BLACK	877.5	915
		JAMP	4	30	4	2.5			5	S	60	BLACK	780	814
		ADDED							5	S	60	BLACK		86
SLAB	SECOND FLOOR	MAIN NS	1	113	84			3.33	5	S	60	BLACK	10545.612	10999
		EW	1	113	84			2.66	4	S	60	BLACK	10333.624	6903
		ADDL	2	44	7.5				5	S	60	BLACK	660	688
			1	23	15				4	S	60	BLACK	345	230
			4	39	7				4	S	60	BLACK	1092	729
			1	123	12	0.83			5	H	60	BLACK	1578.09	1646
			1	16	10.75	0.66			4	H	60	BLACK	182.56	122
			1	58	6	0.83			5	H	60	BLACK	396.14	413
			3	32	12				4	S	60	BLACK	1152	770
			3	105	8.5				6	S	60	BLACK	2677.5	4022
			1	33	13				5	S	60	BLACK	429	447
			1	49	7.5	0.83			5	H	60	BLACK	408.17	426
			1	22	52.5	0.83		3.33	5	H	60	BLACK	1303.4919	1360
			1	51	7				5	S	60	BLACK	357	372

PROJECT NAME:		Sample-2						JOB ID:		***				
ADDRESS:		Sample-2						ARCHITECT		xxx				
			1	93	8.5	0.66			4	H	60	BLACK	851.88	569
			1	51	7				5	S	60	BLACK	357	372
			1	76	7				5	S	60	BLACK	532	555
			1	27	12				4	S	60	BLACK	324	216
			1	78	7.5	0.83			5	H	60	BLACK	649.74	678
			1	123	6	0.66			4	H	60	BLACK	819.18	547
			1	20	6	0.66			4	H	60	BLACK	133.2	89
			1	12	9.5				4	S	60	BLACK	114	76
			1	9	7	0.66	0.66		4	H	60	BLACK	74.88	50
			1	13	12.5	1			6	H	60	BLACK	175.5	264
			1	20	12	1			6	H	60	BLACK	260	391
			1	2	6				4	S	60	BLACK	12	8
		SEC 12/S3.1	1	6	22				4	S	60	BLACK	132	88
			1	23	5				4	S	60	BLACK	115	77
		ADDED							5	S	60	BLACK		1655
HOUSEKEEPING P/	2ND FLOOR	SEC 22/S1.1	4	23	8				3	S	60	BLACK	736	277
			4	9	21.25				3	S	60	BLACK	765	288
			4	60	2				3	H	60	BLACK	480	180
		SEC 22/S1.1	1	8	27.5				3	S	60	BLACK	220	83
			1	29	6.5				3	S	60	BLACK	188.5	71
			1	68	2				3	H	60	BLACK	136	51
		SEC 22/S1.1	1	27	19.5				3	S	60	BLACK	526.5	198
			1	21	26				3	S	60	BLACK	546	205
			1	91	2				3	H	60	BLACK	182	68
		ADDED							3	S	60	BLACK		71
SLAB	ROOF	MAIN NS	1	103	76			2.66	4	S	60	BLACK	8522.0827	5693
		EW	1	77	76			2.66	4	S	60	BLACK	6370.8773	4256
		ADDL	2	39	7				4	S	60	BLACK	546	365
			1	53	17.5				5	S	60	BLACK	927.5	967
			1	79	7.5	0.83			5	H	60	BLACK	658.07	686
			1	40	13.5				5	S	60	BLACK	540	563
			1	40	21.5	0.83			5	H	60	BLACK	893.2	932
			1	13	18	0.83	0.83		5	H	60	BLACK	255.58	267
			1	36	11.5	0.83			5	H	60	BLACK	443.88	463
			1	88	7	0.66			4	H	60	BLACK	674.08	450
			1	108	7	0.83			4	H	60	BLACK	845.64	565
			1	16	13				5	S	60	BLACK	208	217
			1	24	7				5	S	60	BLACK	168	175
			1	24	7				4	S	60	BLACK	168	112
			1	32	7				5	S	60	BLACK	224	234
			1	24	13.5				5	S	60	BLACK	324	338
			1	95	6.5	0.83			5	H	60	BLACK	696.35	726
			1	26	7				4	S	60	BLACK	182	122
			1	27	7				4	S	60	BLACK	189	126
		ADDED							5	S	60	BLACK		863
SLAB	HIGH ROOF FRAM	MAIN NS	1	21	52.5			4.66	6	S	60	BLACK	1273.755	1913
		EW	1	54	19.75			2.66	3	S	60	BLACK	1066.5	401
		ADDL	2	54	6	0.83			5	H	60	BLACK	737.64	769
			2	21	6	0.83			5	H	60	BLACK	286.86	299
		ADDED							6	S	60	BLACK		169
CURB	2ND FLOOR	VER	2	69	4				5	H	60	BLACK	552	576
		HOR	2	3	68				4	S	60	BLACK	408	273
		CONT	1	2	68				4	S	60	BLACK	136	91
		ADDED							4	S	60	BLACK		47
CONCRETE WALL	GROUND FLOOR	VER	8	26	7				8	S	60	BLACK	1456	3888
			8	8	25				4	S	60	BLACK	1600	1069
			8	26	5				8	H	60	BLACK	1040	2777
		ADDED							8	S	60	BLACK		387